Zenith Alpha 2

THORACIC ENDOVASCULAR GRAFT

DEVICE PLANNING AND SIZING WORKSHEET

Date:	Patient ID:
Hospital:	
Physician name:	
Physician phone #: _	
Physician email:	
Physician signature:	
Purchase order numl	ber:


Anatomical measurements

			site	

☐ Right iliac External iliac (El) measurement _____mm
☐ Left iliac External iliac (El) measurement _____mm

Introduction system: 24-30 mm grafts = 6.0 mm (OD)

32-38 mm grafts = 7.1 mm (OD) 40-46 mm grafts = 7.7 mm (OD)



Aortic vessel diameters; CT diameters are outer wall to outer wall

Components

Proximal and distal components are recommended because they provide active fixation proximally and distally.

A proximal component should only be used independently for ulcer and/or saccular aneurysms.

Device overlapping

A minimum overlap of 3 stents is recommended. Ensure that the distal graft does not extend beyond the top sealing stent of the proximal graft.

Tapered anatomy

If Dp (diameter, proximal neck) is 4 mm > Dd (diameter, distal neck), then a proximal tapered graft may be used.

Proximal grafts

Proximal aortic vessel diameter (Dp) =

Select the graft diameter from the vessel oversizing chart below.




Select the graft length that is closest to the working length.

Proximal graft (ZTA2-P)

Proximal tapered graft (ZTA2-PT)

		A A	**
44, 46	125, 179, 233	44, 46	179, 233
42	121,173, 225	42	173, 225
38, 40	117, 167, 217	38, 40	167, 217
34, 36	113, 161, 209	34, 36	161, 209
28, 30, 32	109, 155, 201	32	178, 201
24, 26	105	30	108
Diameter mm	Length mm	mm	Length



Distal grafts

Distal aortic vessel diameter (Dd) =



Select the graft diameter from the vessel oversizing chart below.



Select the graft length that is closest to the working length.

Distal graft (ZTA2-D)

Diameter mm	Length mm
28, 30, 32	160
34, 36	142, 190
38	147, 197
40	197
42	204
44, 46	211



Vessel oversizing chart (10-25%)

Aortic Vessel Outer Diameter (Dp and Dd) mm	Graft Diameter mm
20 - 21	24
22 - 23	26
24 - 25	28
26 - 27	30
28 - 29	32
30	34
31 - 32	36
33 - 34	38
35 - 36	40
37 - 38	42
39	44
40 - 42	46


When selecting a graft diameter, refer to the oversizing chart.

Additional considerations may affect the choice of diameter.



CASE NOTES





Customer Service

EU Website: cookmedical.eu EDI: cookmedical.eu/edi

Distributors: +353 61239240, ssc.distributors@cookmedical.com

Austria: +43 179567121, oe.orders@cookmedical.com Belgium: +32 27001633, be.orders@cookmedical.com Denmark: +45 38487607, da.orders@cookmedical.com Finland: +358 972519996, fi.orders@cookmedical.com France: +33 171230269, fr.orders@cookmedical.com Germany: +49 6950072804, de.orders@cookmedical.com Hungary: +36 17779199, hu.orders@cookmedical.com Ireland: +353 61239252, ie.orders@cookmedical.com Italy: +39 0269682853, it.orders@cookmedical.com Netherlands: +31 202013367, nl.orders@cookmedical.com Norway: +47 23162968, no.orders@cookmedical.com

Spain: +34 912702691, es.orders@cookmedical.com

Sweden: +46 858769468, se.orders@cookmedical.com Switzerland - French: +41 448009609, fr.orders@cookmedical.com Switzerland - Italian: +41 448009609, it.orders@cookmedical.com Switzerland - German: +41 448009609, de.orders@cookmedical.com

United Kingdom: +44 2073654183, uk.orders@cookmedical.com

USA Website: cookmedical.com EDI: cookmedical.com/edi.do

Americas:

Phone: +1 812.339.2235, 800.457.4500, Fax: 800.554.8335 E-mail: orders@cookmedical.com

Australia:

Phone: +61 734346000, 1800777222, Fax: +61 734346001, 1800077283 E-mail: cau.custserv@cookmedical.com



AI, ESC, IR, OHNS, PI, RH, SUR-A4